




Product **CATALOG**



What makes us different

Why Ruggtek?

Ruggtek devices are built to work 24 hours a day, 7 days a week, 365 days a year — in the harshest industrial, outdoor, and vehicular environments.

Every product in our range comes with full European certifications and a warranty extendable up to 5 years, including accidental damage cover. No other European importer offers this level of protection.

We are the only importer in Europe to offer rugged devices running Linux — opening vertical markets that Windows and Android alone cannot reach.

Our direct technical support team operates from Sassuolo, Italy, with fast response times and hands-on expertise throughout the entire product lifecycle.

Thanks to our stock availability and express logistics, we deliver rapidly across all European countries — with the flexibility to customize products to specific customer requirements.

Competitive pricing, broad product range, and a growing European reseller network make Ruggtek the ideal partner for distributors and system integrators looking for a reliable rugged computing supplier.

Table of Contents

A complete range of rugged mobile computers — tablets, handhelds, smartphones, vehicular terminals and notebooks — designed for industrial use.

01 Industrial Tablets

Rugged tablets in 8", 10" and 13" display sizes, available with Windows, Android and Linux.

02 Handhelds & Smartphones

Compact terminals and rugged smartphones for data collection in demanding environments.

03 Vehicular Computers

Vehicle-powered terminals for forklifts, trucks and agricultural machinery.

04 Rugged Notebooks

Industrial rugged laptops for professionals requiring full mobility in the field.

05 Accessories

A complete range of accessories to extend the functionality of every device.

06 Custom Device

Tailored rugged solutions built to meet specific hardware and software requirements.

07 Device Management

Professional MDM solutions to remotely enrol, configure and monitor your Ruggtek fleet.

08 EasyCare & Warranty

Warranty extension and full accidental damage coverage, up to 5 years.

01

INDUSTRIAL TABLET



■ WINDOWS TABLET • 13.3”

Medical Tablet for Healthcare Use

The MT Series 13” tablets share the same rugged chassis with an antimicrobial enclosure, certified IP65 and designed for full-shift use in clinical and healthcare environments. Choose the MT413 for standard hospital operations at a competitive price point, or the MT613 for high-demand applications requiring desktop-class processing power.





ACCESSORIES	MT413 / MT613
Power Adapter 48W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional



WARRANTY
EXTENSION
up to 5 years



RUGGTEK
EASycare
up to 5 years



FEATURES	MT413	MT613
Display	13.3" · 1920×1080 · 500 nits	
Touchscreen	Capacitive multi-touch · Finger & Pen support	
Processor	Intel N5100 · 4 cores · 2.80 GHz	Intel Core i5-1235U · 10 cores · 4.40 GHz
GPU	Intel UHD Graphics	Intel Iris Xe
Audio	Speaker · Headphone Jack 3.5mm	
RAM / Storage	8 GB / 256 GB SSD	
OS	Windows 11 Pro (Windows 11 IoT LTSC optional)	
Battery	8,000 mAh · removable	
Ethernet	Gigabit Ethernet · 1000 Mbit/s	
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band	IEEE 802.11ax · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2	BT 5.2 · Class 2
Mobile Broadband	4G LTE (data only)	
Location	GPS · Glonass · Galileo · BeiDou · A-GPS	
USB	USB 3.0 ×2 Type-A	USB 3.2 ×2 Type-A / ×1 Type-C (with charging)
Interfaces	RJ45 · HDMI · SIM slot · Headphone · DC in Power	
Camera	5MP front · 13MP rear AF	5MP front · 8MP rear AF
Dimensions	330×205×19.5mm · ≈1,450g	

MODULE	MT413	MT613
Barcode Scanner · 1D/2D · Short-Range	On Request	On Request
NFC RFID · ISO 14443	On Request	On Request
UHF RFID · ISO 18000-6C · Short-Range	On Request	On Request
5G Mobile Broadband	On Request	On Request
Intel Core i7-1255U · 10 cores, up to 4.70 GHz	-	On Request (#)
16 GB RAM	-	On Request (#)
Storage upgrade 512 GB SSD	On Request	On Request

(#) Non-standard component. A minimum order quantity is required.



■ WINDOWS TABLET • 10.1”

10” Windows Industrial Tablet

The RT410 and RT510 are 10.1” Windows rugged tablets sharing the same compact chassis, certified IP65 and MIL-STD-810. Choose the RT410 for standard industrial operations with quad-core processing, or the RT510 for demanding applications requiring higher single-core performance.





ACCESSORIES	RT410 / RT510
Carry Handle	Included
Hand Holder	Included
Power Adapter 48W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional
Shoulder Strap	Optional
Cigarette Lighter Adapter	Optional
Office Cradle with Battery Charger	Optional
Rugged Cradle for VESA/RAM mount	Optional



WARRANTY
EXTENSION
up to 3 years



RUGGTEK
EASYCARE
up to 3 years



FEATURES	RT410	RT510
Display	10.1" · 1920×1200 · 500 nits	
Touchscreen	Capacitive multi-touch · Finger & Pen support	
Processor	Intel N5100 · 4 cores · 2.80 GHz	Intel Core i5-8200Y · 2 cores · 3.90 GHz
GPU	Intel UHD Graphics	Intel UHD Graphics 615
Audio	Speaker · Headphone Jack 3.5mm	
RAM / Storage	8 GB / 256 GB SSD	
OS	Windows 11 Pro (Windows 11 IoT LTSC optional)	Windows 11 Pro
Battery	6,000 mAh · removable	
Ethernet	Gigabit Ethernet · 1000 Mbit/s	
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band	
Bluetooth	BT 5.0 · Class 2	
Mobile Broadband	4G LTE (data only)	
Location	GPS · Glonass · Galileo · BeiDou · A-GPS	
USB	USB 3.0 ×2 Type-A	
Interfaces	RJ45 · HDMI · RS-232 DB9 · SIM slot · Headphone · DC in Power	
Camera	5MP front · 13MP rear AF	
Dimensions	275×178×18mm · ≈1,190g	

MODULE	RT410	RT510
Barcode Scanner · 1D/2D · Short-Range	On Request	On Request
NFC RFID · ISO 14443	On Request	On Request
UHF RFID · ISO 18000-6C · Short-Range	On Request	On Request
UHF RFID · ISO 18000-6C · Long-Range	On Request	On Request
Fingerprint Scanner	On Request (#)	On Request (#)
5G Mobile Broadband	On Request	-
Sunlight-readable Display (1,000 nits)	On Request	On Request
Touch with thick industrial gloves	On Request (#)	On Request (#)
16 GB RAM	-	On Request (#)
Storage upgrade 512 GB SSD	On Request (#)	On Request (#)

(#) Non-standard component. A minimum order quantity is required.



■ WINDOWS TABLET • 8.1”

8” Windows Industrial Tablet

The RT409 and RT509 are compact 8.1” Windows rugged tablets sharing the same lightweight chassis, certified IP67 and MIL-STD-810. Choose the RT409 for standard industrial operations with quad-core processing, or the RT509 for demanding applications requiring higher single-core performance.





ACCESSORIES	RT409 / RT509
Hand Holder	Included
Power Adapter 48W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional
Shoulder Strap	Optional
Cigarette Lighter Adapter	Optional
Office Cradle with Battery Charger	Optional
Rugged Cradle for VESA/RAM mount	Optional
Spider Cradle for RAM mount	Optional
Adapter for Ethernet RJ45	Optional
Adapter for RS 232	Optional



WARRANTY
EXTENSION
up to 3 years



RUGGTEK
EASycARE
up to 3 years



FEATURES	RT409	RT509
Display	8.1" · 1920×1200 · 500 nits	
Touchscreen	Capacitive multi-touch · Finger & Pen support	
Processor	Intel N5100 · 4 cores · 2.80 GHz	Intel Core i5-8200Y · 2 cores · 3.90 GHz
GPU	Intel UHD Graphics	Intel UHD Graphics 615
Audio	Speaker · Headphone Jack 3.5mm	
RAM / Storage	8 GB / 256 GB SSD	
OS	Windows 11 Pro (Windows 11 IoT LTSC optional)	Windows 11 Pro
Battery	4,700 mAh · not user-replaceable	
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band	
Bluetooth	BT 5.0 · Class 2	
Mobile Broadband	4G LTE (data only)	
Location	GPS · Glonass · Galileo · BeiDou · A-GPS	
USB	USB 3.0 ×3 Type-A	
Interfaces	HDMI · SIM slot · Headphone · DC in Power	
Camera	5MP front · 13MP rear AF	
Dimensions	234×144×17mm · ≈710g	

MODULE	RT409	RT509
Barcode Scanner · 1D/2D · Short-Range	On Request	On Request
NFC RFID · ISO 14443	On Request	On Request
UHF RFID · ISO 18000-6C · Long-Range	On Request	On Request
Fingerprint Scanner	On Request (#)	On Request (#)
Sunlight-readable Display (1,000 nits)	On Request	On Request
Touch with thick industrial gloves	On Request (#)	On Request (#)
16 GB RAM	-	On Request (#)
Storage upgrade 512 GB SSD	On Request (#)	On Request (#)

(#) Non-standard component. A minimum order quantity is required.



LINUX TABLET • 13.3”

13” Linux Industrial Tablet

The RTL413 and RTL613 are 13.3” Linux rugged tablets sharing the same robust chassis, certified IP65 and MIL-STD-810. The only Linux rugged tablets available from a European importer — choose the RTL413 for embedded applications, or the RTL613 for high-performance computing in demanding industrial environments.





ACCESSORIES	RTL413 / RTL613
Carry Handle	Included
Hand Holder	Included
Power Adapter 48W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional
Shoulder Strap	Optional
Back Strap	Optional
Keyboard	Optional
Cigarette Lighter Adapter	Optional
Office Cradle with Battery Charger	Optional
Tablet Holder for VESA Mount	Optional
Anti-theft Cable	Optional
Adapter for RS 232	Optional



WARRANTY
EXTENSION
up to 5 years



RUGGTEK
EASycare
up to 5 years



FEATURES	RTL413	RTL613
Display	13.3" · 1920×1080 · 500 nits	
Touchscreen	Capacitive multi-touch · Finger & Pen support	
Processor	Intel N5100 · 4 cores · 2.80 GHz	Intel Core i5-1235U · 10 cores · 4.40 GHz
GPU	Intel UHD Graphics	Intel Iris Xe
Audio	Speaker · Headphone Jack 3.5mm	
RAM / Storage	8 GB / 256 GB SSD	
OS	Linux Ubuntu 22.04 LTS	
Battery	8,000 mAh · removable	
Ethernet	Gigabit Ethernet · 1000 Mbit/s	
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band	IEEE 802.11ax · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2	BT 5.2 · Class 2
Mobile Broadband	4G LTE (data only)	
Location	-	
USB	USB 3.0 ×2 Type-A	USB 3.2 ×2 Type-A / ×1 Type-C (with charging)
Interfaces	RJ45 · HDMI · SIM slot · Headphone · DC in Power	
Camera	-	
Dimensions	330×205×19.5mm · ≈1,450g	

MODULE	RTL413	RTL613
Barcode Scanner · 1D/2D · Short-Range	On Request	On Request
NFC RFID · ISO 14443	On Request	On Request

(#) Non-standard component. A minimum order quantity is required.



LINUX TABLET • 13.3”

Medical Tablet
for Healthcare
Professionals

The MTL413 and MTL613 are 13.3” Linux rugged tablets with an antimicrobial enclosure, certified IP65 for clinical and healthcare environments. Choose the MTL413 for embedded applications, or the MTL613 for high-performance computing.




ACCESSORIES	MTL413 / MTL613
Power Adapter 48W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional



WARRANTY
EXTENSION
up to 5 years



RUGGTEK
EASycare
up to 5 years



FEATURES	MTL413	MTL613
Display	13.3" · 1920×1080 · 500 nits	
Touchscreen	Capacitive multi-touch · Finger & Pen support	
Processor	Intel N5100 · 4 cores · 2.80 GHz	Intel Core i5-1235U · 10 cores · 4.40 GHz
GPU	Intel UHD Graphics	Intel Iris Xe
Audio	Speaker · Headphone Jack 3.5mm	
RAM / Storage	8 GB / 256 GB SSD	
OS	Linux Ubuntu 22.04 LTS	
Battery	8,000 mAh · removable	
Ethernet	Gigabit Ethernet · 1000 Mbit/s	
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band	IEEE 802.11ax · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2	BT 5.2 · Class 2
Mobile Broadband	4G LTE (data only)	
Location	-	
USB	USB 3.0 ×2 Type-A	USB 3.2 ×2 Type-A / ×1 Type-C (with charging)
Interfaces	RJ45 · HDMI · SIM slot · Headphone · DC in Power	
Camera	-	
Dimensions	330×205×19.5mm · ≈1,450g	

MODULE	MTL413	MTL613
Barcode Scanner · 1D/2D · Short-Range	On Request	On Request
NFC RFID · ISO 14443	On Request	On Request

(#) Non-standard component. A minimum order quantity is required.



LINUX TABLET • 10.1”

10” High-Performance
Linux Tablet

The RTL611 is a 10.1” Linux rugged tablet powered by Intel Core i5, delivering high computing performance in a compact and fully rugged chassis. Certified IP65 and MIL-STD-810, it is the ideal solution for embedded Linux applications requiring processing power and full field reliability.




ACCESSORIES	RTL611
Carry Handle	Included
Hand Holder	Included
Power Adapter 48W	Included
Pen	Included
Screen Protector	Optional
Spare Battery	Optional
Shoulder Strap	Optional
Cigarette Lighter Adapter	Optional
Bluetooth Keyboard	Optional
Office Cradle with Battery Charger	Optional
Anti-theft Cable	Optional
Adapter for RS 232	Optional



WARRANTY
EXTENSION
up to 5 years



RUGGTEK
EASycare
up to 5 years



FEATURES	RTL611
Display	10.1" · 1920×1200 · 500 nits
Touchscreen	Capacitive multi-touch · Finger & Pen support
Processor	Intel Core i5-1235U · 10 cores · 4.40 GHz
GPU	Intel Iris Xe
Audio	Speaker · Headphone Jack 3.5mm
RAM / Storage	8 GB / 256 GB SSD
OS	Linux Ubuntu 22.04 LTS
Battery	8,000 mAh · removable
Ethernet	Gigabit Ethernet · 1000 Mbit/s
Wireless LAN	IEEE 802.11ax · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.2 · Class 2
Mobile Broadband	4G LTE (data only)
Location	-
USB	USB 3.2 ×2 Type-A / ×1 Type-C (with charging)
Interfaces	RJ45 · HDMI · SIM slot · Headphone · DC in Power
Camera	-
Dimensions	275×178×18mm · ≈1,200g

MODULE	RTL611
Barcode Scanner · 1D/2D · Short-Range	On Request
NFC RFID · ISO 14443	On Request
Sunlight-readable Display (1,000 nits)	On Request

(#) Non-standard component. A minimum order quantity is required.

LINUX TABLET • 10.1”



10” Linux Industrial Tablet

The RTL410 and RTL510 are 10.1” Linux rugged tablets sharing the same compact chassis, certified IP65 and MIL-STD-810. Choose the RTL410 for embedded Linux applications with quad-core processing, or the RTL510 for higher single-core performance in demanding industrial environments.





ACCESSORIES	RTL410 / RTL510
Carry Handle	Included
Hand Holder	Included
Power Adapter 48W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional
Shoulder Strap	Optional
Cigarette Lighter Adapter	Optional
Office Cradle with Battery Charger	Optional
Rugged Cradle for VESA/RAM mount	Optional



WARRANTY
EXTENSION
up to 3 years



RUGGTEK
EASycare
up to 3 years



FEATURES	RTL410	RTL510
Display	10.1" · 1920×1200 · 500 nits	
Touchscreen	Capacitive multi-touch · Finger & Pen support	
Processor	Intel N5100 · 4 cores · 2.80 GHz	Intel Core i5-8200Y · 2 cores · 3.90 GHz
GPU	Intel UHD Graphics	Intel UHD Graphics 615
Audio	Speaker · Headphone Jack 3.5mm	
RAM / Storage	8 GB / 256 GB SSD	
OS	Linux Ubuntu 22.04 LTS	
Battery	6,000 mAh · removable	
Ethernet	Gigabit Ethernet · 1000 Mbit/s	
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band	
Bluetooth	BT 5.0 · Class 2	
Mobile Broadband	4G LTE (data only)	
Location	-	
USB	USB 3.0 ×2 Type-A	
Interfaces	RJ45 · HDMI · RS-232 DB9 · SIM slot · Headphone · DC in Power	
Camera	-	
Dimensions	275×178×18mm · ≈1,190g	

MODULE	RTL410	RTL510
Barcode Scanner · 1D/2D · Short-Range	On Request	On Request
NFC RFID · ISO 14443	On Request	On Request
Sunlight-readable Display (1,000 nits)	On Request	On Request

(#) Non-standard component. A minimum order quantity is required.

■ ANDROID TABLET • 13.3”



Medical Tablet for Hospitals and Clinics

The MTA413 is a 13.3” Android 15 rugged tablet powered by MediaTek octa-core, combining long-lasting battery life with Google Mobile Services in an antimicrobial chassis. Certified IP65 for clinical and healthcare environments, it is designed for applications requiring mobility, connectivity and full Android ecosystem compatibility.




ACCESSORIES	MTA413
Power Adapter 15W	Included
Pen	Optional
Screen Protector	Optional
Spare Battery	Optional



WARRANTY
EXTENSION
up to 5 years



RUGGTEK
EASycare
up to 5 years



FEATURES	MTA413
Display	13.3" · 1920×1080 · 500 nits
Touchscreen	Capacitive multi-touch · Finger & Pen support
Processor	MediaTek MT6877 · 8 cores · 2.40 GHz
GPU	ARM Mali-G68
Audio	Speaker · Headphone Jack 3.5mm
RAM / Storage	8 GB / 128 GB SSD
OS	Android 15 · Google Play Store & Services
Battery	16,000 mAh · removable
Ethernet	Fast Ethernet · 100 Mbit/s
Wireless LAN	IEEE 802.11ax · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.2 · Class 2
Mobile Broadband	5G (call & data)
Location	GPS · Glonass · Galileo · BeiDou · A-GPS
USB	USB ×2 Type-A / ×1 Type-C (with charging)
Interfaces	RJ45 · SIM slot · SD Card slot · Headphone · DC in Power
Camera	8MP front · 16MP rear AF + Flash
Dimensions	330×205×19.5mm · ≈1,410g

MODULE	MTA413
Barcode Scanner · 1D/2D · Short-Range	On Request
NFC RFID · ISO 14443	On Request
UHF RFID · ISO 18000-6C · Short-Range	On Request
16 GB RAM	On Request (#)
Storage upgrade 512 GB SSD	On Request (#)

(#) Non-standard component. A minimum order quantity is required.

■ ANDROID TABLET • 10.1”




10” Android
Field Tablet

The RTG010 is a compact 10.1” Android 14 rugged tablet designed for field work where lightness and simplicity matter. Certified IP68 and MIL-STD-810H, it combines long battery autonomy with Google Mobile Services in a slim and durable chassis ideal for mobile workers.



ACCESSORIES	RTG010
Power Adapter 15W	Included
Pen	Optional
Screen Protector	Optional
Lanyard	Optional
Cigarette Lighter Adapter	Optional
Spider Cradle for RAM mount	Optional



FEATURES	RTG010
Display	10.1" · 1920×1200 · 400 nits
Touchscreen	Capacitive multi-touch · Finger & Pen support
Processor	MediaTek MT8781 · 8 cores · 2.20 GHz
GPU	ARM Mali-G57
Audio	Speaker
RAM / Storage	6 GB / 128 GB SSD
OS	Android 14 · Google Play Store & Services
Battery	8,000 mAh · not user-replaceable
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2
Mobile Broadband	4G LTE (call & data)
Location	GPS · Glonass · Galileo · BeiDou · A-GPS
USB	USB ×1 Type-C (with charging)
Interfaces	SIM slot · SD Card slot
Camera	5MP front · 13MP rear AF + Flash
Dimensions	252×172×12mm · ≈615g

(#) Non-standard component. A minimum order quantity is required.

■ ANDROID TABLET • 8.1”



8” Android Industrial Tablet

Compact and lightweight, the RTD860 is designed for professionals working in the field. With WiFi, Bluetooth and built-in cellular connectivity, it ensures uninterrupted operation in logistics, retail, hospitality and business mobility. Pocket-sized and fast, it boosts your team’s productivity wherever they are.




ACCESSORIES	RTD860
Hand Holder	Included
Power Adapter 15W	Included
Pen	Optional
Screen Protector	Optional
Spare Battery	Optional
Cigarette Lighter Adapter	Optional
Rugged Boot / Exoskeleton	Optional
Office Cradle with Battery Charger	Optional
Adapter for Ethernet RJ45	Optional
Adapter for RS 232	Optional



WARRANTY
EXTENSION
up to 3 years



RUGGTEK
EASycare
up to 3 years



FEATURES	RTD860
Display	8.1" · 1280×800 · 400 nits
Touchscreen	Capacitive multi-touch · Finger & Pen support
Processor	MediaTek MT6769 · 8 cores · 2.00 GHz
GPU	ARM Mali-G52
Audio	Speaker
RAM / Storage	4 GB / 64 GB SSD
OS	Android 13 · Google Play Store & Services
Battery	9,000 mAh · not user-replaceable
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2
Mobile Broadband	4G LTE (call & data)
Location	GPS · Glonass · Galileo · BeiDou · A-GPS
Barcode Scanner 1D/2D	Short-Range scanning
USB	USB ×1 Type-C (with charging)
Interfaces	SIM slot · SD Card slot · DC in Power
Camera	5MP front · 13MP rear AF + Flash
Dimensions	211,5×136×31mm · ≈663g

MODULE	RTD860
NFC RFID · ISO 14443	On Request
UHF RFID · ISO 18000-6C · Long-Range	On Request (#)
Fingerprint Scanner	On Request (#)

(#) Non-standard component. A minimum order quantity is required.

02

HANDHELDS & SMARTPHONES

■ ANDROID HANDHELD • 6.0”



Medical Handheld
Device for Healthcare
Use

The MPN600 is a rugged 6.0” Android 13 handheld built for patient identification, medication tracking and secure communication in hospitals and clinics. Antimicrobial enclosure, built-in barcode scanner, IP65 protection and dual SIM connectivity make it a reliable tool for healthcare professionals in the field.





ACCESSORIES	MPN600
Power Adapter 10W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional
Office Cradle with Battery Charger	Optional



WARRANTY
EXTENSION
up to 3 years



RUGGTEK
EASycARE
up to 3 years



FEATURES	MPN600
Display	6.0" · 720×1440 · 400 nits
Touchscreen	Capacitive multi-touch · Finger & Pen support
Processor	MediaTek MT6833 · 8 cores · 2.20 GHz
GPU	ARM Mali-G57
Audio	Speaker
RAM / Storage	6 GB / 128 GB SSD
OS	Android 13 · Google Play Store & Services
Battery	4,200 mAh · removable
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2
Mobile Broadband	5G (call & data)
Location	GPS · Glonass · Galileo · BeiDou · A-GPS
Camera	5MP front · 13MP rear AF
Barcode Scanner 1D/2D	Short-Range scanning (also available by optional Pistol Grip)
USB	USB ×1 Type-C (with charging)
Interfaces	SIM slot
Dimensions	164×79×12mm · ≈265g

MODULE	MPN600
NFC RFID · ISO 14443	On Request
Fingerprint (no need to enter the login password)	On Request (#)

(#) Non-standard component. A minimum order quantity is required.

■ ANDROID HANDHELD • 5.5”



Android Handheld
with Thermal Printer

Compact and versatile, the RPN560 is an Android 13 handheld with a 5.5” touchscreen and built-in thermal printer for 58mm paper rolls, ideal for receipts on the go. 4G LTE connectivity ensures continuous operation in retail, logistics and business mobility, with a removable battery for uninterrupted shifts.




ACCESSORIES	RPN560
Hand Holder	Included
Power Adapter 10W	Included
Screen Protector	Optional
Pen	Optional
Spare Battery	Optional
Cigarette Lighter Adapter	Optional
Office Cradle with Battery Charger	Optional



WARRANTY
EXTENSION
up to 3 years



RUGGTEK
EASYCARE
up to 3 years



FEATURES	RPN560
Display	5.5" · 720×1440 · 400 nits
Touchscreen	Capacitive multi-touch · Finger & Pen support
Processor	MediaTek MT6765 · 8 cores · 2.20 GHz
GPU	PowerVR GE8320
Audio	Speaker
RAM / Storage	4 GB / 64 GB SSD
OS	Android 13 · Google Play Store & Services
Battery	2,800 mAh · removable
Wireless LAN	IEEE 802.11ac · 2.4 & 5 GHz Dual Band
Bluetooth	BT 5.0 · Class 2
Mobile Broadband	4G LTE (call & data)
Location	GPS · Glonass · Galileo · BeiDou · A-GPS
Camera	2MP front · 13MP rear AF
Barcode Scanner 1D/2D	Short-Range scanning
Thermal Printer	paper width 58mm · roll diameter 35mm
USB	USB ×1 Type-C (with charging)
Interfaces	SIM slot ×2 · SD Card slot
Dimensions	179×75,5×49,5mm · ≈435g

MODULE	RPN560
NFC RFID · ISO 14443	On Request
PSAM Card Slot	On Request (#)

(#) Non-standard component. A minimum order quantity is required.

03

VEHICULAR COMPUTERS

04

RUGGED NOTEBOOKS

05

ACCESSORIES

ACCESSORIES



Hand Holder



Carry Handle



Shoulder Strap



Back Strap



Lanyard



Phone Belt Holder



Keyboard



Pen



Screen Protector



Anti-theft Cable



Pistol Grip



Rugged Boot / Exoskeleton



Spare Battery



Cigarette Lighter Adapter



Adapter for Ethernet RJ45



Adapter for RS 232




Adapter HDMI



Power Adapter 9-36V



Power Adapter 10W



Power Adapter 15W



Power Adapter 48W



Power Adapter 60W



Office Cradle with Battery Charger




Rugged Cradle for VESA/RAM mount



Spider Cradle for RAM mount



Tablet Holder for VESA Mount



Cellular Antenna



GPS Antenna

06

CUSTOM DEVICE

07

DEVICE MANAGEMENT

08

EASYCARE & WARRANTY



Via Regina Pacis, 74c
41049 Sassuolo, Italy



+39 0536 582 115



info@ruggtek.com



The technical specifications listed are subject to periodic revision.

Scan the QR Code to access the latest documentation.

RUGGTEK.COM